

Case Report : Bronchiolitis

by Inggrit Anggraini

Submission date: 29-Aug-2024 01:05PM (UTC+0700)

Submission ID: 2440306021

File name: JIKA_Stase_Anak_Yoga_1_1.docx (29.73K)

Word count: 2153

Character count: 13098

Case Report : Bronchiolitis

Inggrit Anggraini¹, Supriadi², Muhammad Yoga Rizki Danil³ Destri Linjani*⁴

^{1,2,3,4} Doctor⁹ Program, Faculty of Medicine, Abdurrah University

Address: Jl. Riau Ujung No 73 Pekanbaru – Riau - Indonesia

Email: inggrit.anggraini@univrab.ac.id

ABSTRACT

² Bronchiolitis is an acute inflammatory injury to the bronchioles usually caused by a viral infection (most commonly respiratory syncytial virus). This condition can occur in people of any age, but severe symptoms are usually only seen in young babies.

Keywords : Bronchiolitis, virus, Respiratory Syncytial Virus (RSV)

INTRODUCTION

¹ Bronchiolitis is an acute inflammatory injury to the bronchioles usually caused by a viral infection (most commonly respiratory syncytial virus). This condition can occur in people of all ages, but severe symptoms are usually seen only in young infants. (Maraqa, N., 2021) Bronchiolitis usually occurs in children aged <2 years. About 95% of cases occur in children under 2 years of age and 75% of them are under 1 year of age with a peak incidence at 2-6 months of age. Respiratory Syncytial Virus (RSV) is the cause of bronchiolitis. Most frequently, approximately 95% of cases of bronchiolitis are serologically proven to be caused by RSV invasion. (Orenstein DM., 2000).

Bronchiolitis is a self-limiting disease, but bronchiolitis can cause respiratory disorders and can lead to respiratory failure requiring further treatment in addition to supportive management so it is important for clinicians to know the risk factors for severe bronchiolitis. (Rahajoe Nastiti N, et al., 2008). In addition, the clinical symptoms of bronchiolitis are almost similar to asthma and pneumonia. (Turner T, et al. 2008). Clinicians need to recognize and differentiate bronchiolitis from other differential diagnoses so that inappropriate management can be avoided. (Turner T, et al. 2008).

CASE REPORT

Patient An. MD aged 6 months came with complaints of shortness of breath since 3 days ago which was felt to be getting worse since 1 day ago, complaints were felt continuously, complaints worsened when the patient was active and reduced when resting, other complaints were fever, cough, nausea and vomiting. Previously the patient had never complained of the same complaints, but 3 days ago the patient fell from the sofa while lying

face down. From physical examination, anemic conjunctiva, chest wall retraction and wheezing were found in both lung fields. From supporting examinations, hemoglobin was found 6.3 gr / dl, MCV 54.8 fl, MCH 15%, MCHC 27.5%, RDW 22.2%, Hematocrit 22.9% with an impression of Hypochromic Microcytic Anemia. On chest X-ray examination, an impression of bronchiolitis was obtained.

RESULTS AND DISCUSSION

An. MD aged 6 months came to the emergency room of Siak Regional Hospital with complaints of shortness of breath that had worsened since 1 day ago, the complaints had been felt since 3 days ago, the complaints were felt continuously and worsened during activities and decreased when resting, in addition the patient also complained of weakness and fever that came and went, appeared in the afternoon towards evening and went down in the morning, the patient also complained of coughing up phlegm but was difficult to expel, nausea and vomiting especially when food was taken in, the patient had difficulty drinking breast milk and had not received complementary feeding, urination and defecation were within normal limits.

The patient was born at 34-35 weeks of gestation by breech section a/i gemelli, the home environment was clean but crowded, then the patient's neighbor was an active smoker and often smoked near the patient, the patient's father was also an active smoker and often smoked near the patient too.

⁴ Bronchiolitis is an acute lower respiratory infection (ARI-B) characterized by airway obstruction ³ caused by acute inflammation, edema, and necrosis of epithelial cells lining the small airways and increased mucus production. ¹⁴ Bronchiolitis most often occurs in children under 2 years of age with the most frequent incidence at approximately 6 months of age. Premature babies, especially those under <29 weeks of age, have a higher risk of developing bronchiolitis. Severe bronchiolitis is more common in males than females. Cigarette smoke, which contains tar, nicotine and polycyclic aromatic hydrocarbons, has a negative effect on the lungs of infants. Exposure to cigarette smoke during prenatal and postnatal periods can affect lung development and the immune system in children, which increases the risk of bronchiolitis.

From the anamnesis results, the patient's symptoms and risk factors point to bronchiolitis, but to ensure the patient's diagnosis, a physical examination and supporting examinations are needed. From the results of the physical examination, the patient appeared moderately ill with a good physical appearance, anemic conjunctiva was found on the conjunctiva

examination, chest wall retraction was found, wheezing was found in both lung fields on auscultation examination, warm acral were found on extremities. Other examinations were within normal limits. Anemia is a condition where red blood cells cannot meet the needs. The physiological state of each individual's body is different because it is influenced by factors such as age, gender, altitude, smoking habits, and pregnancy. Anemia is characterized by low hemoglobin concentration in the blood. Bronchiolitis mainly attacks young infants, and its initial clinical manifestations are unclear. Possible early symptoms are signs of acute upper respiratory infection such as cough, mild runny nose and fever, wheezing, difficulty breathing (shortness of breath) which is usually on expiration, cyanosis, grunting, vomiting after coughing, irritability and decreased appetite, increased respiratory rate (tachypnea), tachycardia, increased temperature above 38.5°C may be present.

From the results of physical examination leading to symptoms of bronchiolitis, and also found that the patient also experienced anemia, then supporting examinations are needed to determine the classification of anemia. From the results of supporting examinations, blood tests and chest X-rays, the results of hemoglobin 6.3 gr / dl MCV 54.8 fl MCH 15% MCHC 27.5% RDW 22.2% Hemotocrit 22.9% from blood tests obtained the impression of Microcytic Hypochromic Anemia. On chest X-ray examination, the results of increased bronchovascular patterns were obtained, a relatively homogeneous opaque image appeared in the paratrachea to the perihilar (thymus) with the impression of Bronchiolitis.

Chest X-ray of children with bronchiolitis often shows nonspecific and patchy hyperinflation and atelectasis that can be mistaken for consolidation. Symptoms of iron depletion or iron deficiency are nonspecific. Diagnosis is usually based on laboratory test results, namely decreased serum ferritin/transferrin saturation and serum iron levels. Patients receive 2L Oxygen therapy, 3 mg Dexamethasone Inj., IVFD Kaen 1B 26 Tpm, Combivent Nebulizer, Ceftriaxone Inj., 0.5 mg salbutamol, 1 mg Ctm, 2 mg Zinc and PCR transfusion. Oxygen supplementation is indicated in children whose hemoglobin saturation levels are below 92%. Children with bronchiolitis usually come with difficulty eating and drinking, therefore it is important to assess hydration status. Corticosteroids are commonly used in the treatment of bronchiolitis as anti-inflammatory agents. In theory, corticosteroids should be useful in reducing the inflammatory response of the lower respiratory tract due to viral infections. And blood transfusion is performed to treat anemia in patients.

CONCLUSION

Bronchiolitis is an acute lower respiratory infection (ARI-B) characterized by airway obstruction and wheezing. Bronchiolitis is caused by a virus that often attacks children aged <2 years and occurs in the first year of life. Various viruses cause bronchiolitis and 95% of cases are caused by Respiratory syncytial virus (RSV). Bronchiolitis is a self-limited disease, most of the management of bronchiolitis is supportive, namely supplementation of oxygen and hydration or patient nutrition, after adequate supportive therapy, administration of medication can be considered.

In general, the long-term prognosis for bronchiolitis is very good if supportive therapy is adequate. The majority of children recover without side effects, but it is necessary to recognize the risk factors for severe bronchiolitis.

BIBLIOGRAPHY

- Maraqa, N. Bronchiolitis. Medscape, (Updated 2021May 17). <https://emedicine.medscape.com/article/961963-overview>
- Orenstein DM. Bronchiolitis. In Behrman R, Kliegman R, Arvin A, editors. Nelson Textbook of Pediatrics. Fifteenth edition. Saunders, Philadelphia. 2000: p.1211-2.
- Rahajoe Nastiti N, Bambang Supriyatno, Darmawan Budi Setyanto. Textbook of Pediatric Respiriology. First Edition. Jakarta: IDAI Publishing Agency. 2008. Page: 333-347
- Turner T, Wilkinson F, Harris C, Mazza D. Evidence based guideline for the management of bronchiolitis. Aust Fam Physician 2008;37(6):6-13. Corneli, HM Bronchiolitis. Vol:28. 2012. Pediatric Emergency Care
- Supriyatno B. Sari Pediatri: Acute Lower Respiratory Infection in Children. 2006;8: 100-106
- Florin T, Plint A, Zorc J. Viral Bronchiolitis. The Lancet. 2017; 389: 211-24
- Subanada IB, Setyano DB, Supriyatno B., Boediman I. Factors associated with acute bronchiolitis. 2009; 10(6)
- New Zealand Child and Youth Epidemiology Service. Hospital admissions and mortality with a social gradient in children. The Children's Social Health Monitor New Zealand. Available from: www.nzchildren.co.nz/hospital_admissions.php
- Jung JW Respiratory syncytial virus infection in children with congenital heart disease: global data and interim results of Korean RSV-CHD survey Understanding the impact of infection, inflammation, and Their Persistence in the Pathogenesis of Bronchopulmonary Dysplasia. 4 May 2011. <https://creativecommons.org/licenses/by>

- Perez JAH and Guerra JSH. 2010. Case report: Community-acquired pneumonia in adults with Down Syndrome. Three clinical cases and review of literature 14 :25-30.
- Beek DV, Paes B., Bont L. Increased Risk of RSV Infection in Children with Down's Syndrome: Clinical Implementation of Prophylaxis in the European Union. 13 June 2013; <https://www.hindawi.com>.
- Barry W, Cockburn F, Cornall R, Price JF, Sutherland G, Vardag Ribavirin aerosol for acute bronchiolitis. Arch DisChild. 1986;61(6):593-597.
- Justice NA, LeJK. Bronchiolitis. [Updated 2020 Apr 23]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/book/s/NBK44195>
- Lanari, M., Vandini, S., Capretti, MG, Lazzarotto, T., & Faldella, G. 2014. Respiratory Syncytial Virus Infections in Infants Affected by Primary Immunodeficiency. Journal of Immunology Research, 2014, 1–6.
- Balany J., Bhandari V. Understanding the impact of infection, inflammation, and their persistence in the pathogenesis of bronchopulmonary dysplasia. 21 December 2015;2. <https://www.sciencedirect.com/science/article/>.
- Erickson EN, Bhakta RT, Mendez MD. Pediatric Bronchiolitis [Internet]. StatPearls [Internet]. US National Library of Medicine; 2020 Available from : <https://www.ncbi.nlm.nih.gov/book/s/NBK519506/>
- Friedman, Jeremy N. Bronchiolitis: Recommendations for diagnosis, monitoring and management of children one to 24 months of age. Pediatrics & child health 2014. 19:9: 485-98.
- Øymar K, Skjerven HO, Mikalsen IB. Acute bronchiolitis in infants, a review. Scand J Trauma Resusc Emerg Med. 2014; 22:23. Mahabee-Gittens EM, Bachman DT, Shapiro ED, Dowd MD. Chest radiographs in the pediatric emergency department for children < or = 18 months of age with wheezing. Clin Pediatr (Phila) 1999; 38:395–399.
- Choi J, Lee GL. Common pediatric respiratory emergencies. Emerg Med Clin North Am. 2012; 30:529–563. Purcell K, Fergie J. Lack of usefulness of an abnormal white blood cell count for predicting a concurrent serious bacterial infection in infants and young children hospitalized with respiratory syncytial virus lower respiratory tract infection. Pediatr Infect Dis J. 2007;26(4):311–5.
- Welliver RC. Bronchiolitis and infectious asthma. In: Feigin RD, et al. Feigin Textbook of Pediatric Infectious Diseases. 6th ed. Philadelphia: WB Saunders; 2009. p. 277-85

- Ralston SL, Lieberthal AS, Meissner HC, Alverson BK, Baley JE, Gadomski AM, et al. Clinical practice guideline: The diagnosis, management, and prevention of bronchiolitis. *American Academy of Pediatrics* 2014; 134(5):1474-502
- Zhang L, Mendoza-Sassi RA, Klassen TP, Wainwright C. Nebulized Hypertonic Saline for Acute Bronchiolitis: A Systematic Review. *Pediatrics*. 2015;136(4):687–701
- Sakulchit T, Goldman RD. Nebulized epinephrine for young children with bronchiolitis. *Can FamPhysician*. 2016;62(12):991-993.
- Gadomski AM, Scribani MB. Bronchodilators for bronchiolitis. *Cochrane Database Syst Rev*. 2014;(6):CD001266
- Scottish Intercollegiate Guidelines Network (SIGN). Bronchiolitis in children (A national clinical guideline.) 2006. www.sign.ac.uk (Lozano JM. Bronchiolitis. *BMJ Clin Evid*. 2007;2007:0308
- Rogovik AL, Carleton B, Solimano A, Goldman RD. Palivizumab for the prevention of respiratory syncytial virus infection. *Can Fam Physician*. 2010;56(8):769-772.
- Iqbal SM. Management of acute viral bronchiolitis in children: Evidence beyond guidelines. *Sudan J Paediatr*. 2012;12(1):40-48
- World Health Organization. Hemoglobin concentrations for the diagnosis of anemia and assessment of severity. Geneva: Department of Nutrition for Health and Development (NHD) World Health Organization; 2011
- World Health Organization. The global prevalence of anemia in 2011. Geneva: WorldHealth Organization; 2015.
- Untoro R, Falah TS, Atmarita, Sukarno R, Kemalawati R, Siswono. Iron deficiency anemia. In: Untoro R, Falah TS, Atmarita, Sukarno R, Kemalawati R, Siswono, compilers. *Nutrition in figures up to 2003*. Jakarta: DEPKES; 2005:41-4
- Abdulsalam, M., & Daniel, A. Diagnosis, Treatment and Prevention of Iron Deficiency Anemia. *Sari Pediatri*, 2002; 4(2), 2 – 5.
- Raspati H, Reniarti L, Susanah S. Iron deficiency anemia. In: Permono HB, Sutaryo, Ugrasena IDG, Windiastuti E, Abdul salam M, editors. *Textbook of Pediatric Hematology Oncology*. Jakarta: BPIDAI; 2005:30-43.
- Özdemir, N. (2015). Iron deficiency anemia from diagnosis to treatment in children. *Turk Pediatrics Arsivi*, 50(1), 11 – 9. doi:10.5152/tpa.2015.2337
- Hary R. *Textbook of Pediatric Hematology Oncology*. “Anemia”. Indonesian Pediatrician Association; 2005
- Sylvia AP *Pathophysiology of Red Blood Cells*. 6th Edition. EGC;2000

- Hofbrandt AV, Moss PAH, Pettit JE, editors. Essential Haematology. 5th ed. UK. Blackwell Publishing; 2006. Chapter 3, Hypochromic anemia and iron overload; h. 28-43 2.
- Brady PG. Iron deficiency anemia: a call for. South. Med. J. 2007. 100(10): 966-7
- Endang, W.IDAI- Iron Deficiency Anemia in Infants and Children. Retrieved February 28, 2016. Available from <http://idai.or.id/artikel/seputar-kesehatan-anak/anemia-dektifsi-besi-pada-bayi-and-children>
- Gatot, D., Idjradinata, P., Abdulsalam, M., Lubis, B., Soedjatmiko, & Hendarto, A. Iron Supplementation for Children. Indonesian Pediatrician Association. 2011.

Case Report : Bronchiolitis

ORIGINALITY REPORT

20%

SIMILARITY INDEX

14%

INTERNET SOURCES

13%

PUBLICATIONS

10%

STUDENT PAPERS

PRIMARY SOURCES

1

Submitted to The Maldives National University

Student Paper

3%

2

Submitted to Eastern Institute of Technology

Student Paper

3%

3

archive.org

Internet Source

2%

4

Gadomski, Anne M, Melissa B Scribani, and Anne M Gadomski. "Bronchodilators for bronchiolitis", Cochrane Database of Systematic Reviews, 2014.

Publication

1%

5

www.ncbi.nlm.nih.gov

Internet Source

1%

6

Submitted to Baptist School of Health Professions

Student Paper

1%

7

Giovanni Piedimonte. "Pharmacological management of acute bronchiolitis",

1%

Therapeutics and Clinical Risk Management, 2008

Publication

8	link.springer.com Internet Source	1 %
9	Siti Juariah, Mega Pratiwi Irawan, Yuliana Yuliana. "EFEKTIFITAS EKSTRAK ETANOL KULIT NANAS (Ananas Comosus L. Merr) terhadap Trichophyton mentaghrophytes", JOPS (Journal Of Pharmacy and Science), 2018 Publication	1 %
10	Submitted to University of Southern California Student Paper	1 %
11	Valerie Gilbert T. Ulep, Jhanna Uy, Lyle Daryll Casas. "What explains the large disparity in child stunting in the Philippines? A decomposition analysis", Public Health Nutrition, 2021 Publication	1 %
12	docksci.com Internet Source	1 %
13	www.bpac.org.nz Internet Source	1 %
14	scielosp.org Internet Source	1 %
15	www.researchgate.net Internet Source	

1 %

16

Silvana Schreiber, Luca Ronfani, Sergio Ghirardo, Federico Minen, Andrea Taddio, Mohamad Jaber, Elisa Rizzello, Egidio Barbi. "Nasal irrigation with saline solution significantly improves oxygen saturation in infants with bronchiolitis", Acta Paediatrica, 2016

Publication

1 %

17

Stephan Kamholtz, Alan M Fein, David Ost, Stephan Kamholtz, David Ost. "Respiratory Emergencies", CRC Press, 2019

Publication

1 %

18

idoc.pub
Internet Source

1 %

19

I.M., Praneeth Reddy. "A Study on the Use of Truflex Articulating Stylet as An Intubation Guide with Intubrite Videolaryngoscope", Rajiv Gandhi University of Health Sciences (India), 2023

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On